This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L	Hits	Search Text	DB	Time stamp
Number 1	0	(/yan an aliant) and instant and	USPAT;	2004/00/10
1		((user or client) and instant and messag\$4 and ((differ\$5 or compati\$6)	US-PGPUB;	2004/09/10
		with protocol) and (mobile or cell\$5 or	EPO; JPO;	13:01
		cellular or phon\$5)).ab. and @ad<20000706	DERWENT;	
		definition phonys,, and and cad 20000, o	IBM TDB	
2	0	((user or client) and instant and	USPAT;	2004/09/10
		messag\$4 and ((differ\$5 or compati\$6 or	US-PGPUB;	13:01
		several) with protocol) and (mobile or	EPO; JPO;	
		cell\$5 or cellular or phon\$5)).ab. and	DERWENT;	
		@ad<20000706	IBM_TDB	
3	0	((user or client) and instant and	USPAT;	2004/09/10
		messag\$4 and ((differ\$5 or compati\$6 or	US-PGPUB;	13:01
		several or diver\$5) with protocol) and	EPO; JPO;	
		(mobile or cell\$5 or cellular or	DERWENT;	
		phon\$5)).ab. and @ad<20000706	IBM_TDB	
4	0	((user or client) and instant and	USPAT;	2004/09/10
		messag\$4 and ((differ\$5 or compati\$6 or	US-PGPUB;	13:02
		several or diver\$5 or multipl\$5) with	EPO; JPO;	
		protocol) and (mobile or cell\$5 or	DERWENT;	
5		cellular or phon\$5)).ab. and @ad<20000706	IBM_TDB	2004/00/10
	0	(instant and messag\$4 and ((differ\$5 or compati\$6 or several or diver\$5 or	USPAT; US-PGPUB;	2004/09/10 13:02
		multipl\$5) with protocol) and (mobile or	EPO; JPO;	13:02
		cell\$5 or cellular or phon\$5)).ab. and	DERWENT;	
		@ad<20000706	IBM TDB	
6	2	((user or client) same instant same	USPAT;	2004/09/10
		messag\$4 same ((differ\$5 or compati\$6 or	US-PGPUB;	13:03
		several or diver\$5 or multipl\$5) with	EPO; JPO;	13.03
		protocol) same (mobile or cell\$5 or	DERWENT;	
		cellular or phon\$5)) and @ad<20000706	IBM TDB	
7	1		USPAT;	2004/09/10
		or compati\$6 or several or diver\$5 or	US-PGPUB;	13:04
		multipl\$5) with protocol) same (mobile or	EPO; JPO;	
		cell\$5 or cellular or phon\$5)) and	DERWENT;	
		@ad<20000706	IBM_TDB	
8	634		USPAT;	2004/09/10
		several or diver\$5 or multipl\$5) with	US-PGPUB;	15:20
		protocol) same (mobile or cell\$5 or	EPO; JPO;	
		cellular or phon\$5)) and @ad<20000706	DERWENT;	
	7.1		IBM_TDB	0004/00/10
9	71	(messag\$5 same ((differ\$5 or compati\$6 or	USPAT;	2004/09/10
		several or diver\$5 or multipl\$5) with	US-PGPUB;	15:21
		protocol) same (mobile or cell\$5 or	EPO; JPO;	
		cellular or phon\$5)).ab. and @ad<20000706	DERWENT;	
10	15	(messag\$5 same ((differ\$5 or compati\$6 or	IBM_TDB USPAT;	2004/09/10
1.0		several or diver\$5 or multipl\$5) with	US-PGPUB;	14:19
		protocol with (client or user or device))	EPO; JPO;	
		same (mobile or cell\$5 or cellular or	DERWENT;	
		phon\$5)).ab. and @ad<20000706	IBM TDB	
11	7	(messag\$5 same ((differ\$5 or compati\$6 or	USPAT;	2004/09/10
		several or diver\$5 or multipl\$5) near7	US-PGPUB;	14:15
		protocol near7 (client or user or	EPO; JPO;	
		device)) same (mobile or cell\$5 or	DERWENT;	
		cellular or phon\$5)).ab. and @ad<20000706	IBM_TDB	
14	0	(USPAT;	2004/09/10
		several or diver\$5 or multipl\$5) near7	US-PGPUB;	14:15
		protocol near7 (client or user or	EPO; JPO;	
		device)) same (mobile or cell\$5 or	DERWENT;	
		cellular or phon\$5)).ab. and @ad<20000706	IBM_TDB	
15		and (audio with server)	Habba	2004/00/10
10	0	(the straight same (the straight of sompassing of	USPAT;	2004/09/10
		several or diver\$5 or multipl\$5) with	US-PGPUB;	14:20
		protocol with (client or user or device)) same (mobile or cell\$5 or cellular or	EPO; JPO;	1
		phon\$5)).ab. and @ad<20000706 and (audio	DERWENT; IBM TDB	
		with server)	TDW_IDD	
	L	1	I	

16	0	(messag\$5 same ((differ\$5 or compati\$6 or several or diver\$5 or multipl\$5) with protocol) same (mobile or cell\$5 or cellular or phon\$5)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/10 14:20
17	3	and (audio with server) (audio and server and instant and messag\$5).ab. and @ad<20000706	IBM_TDB USPAT; US-PGPUB;	2004/09/10 14:32
1.0			EPO; JPO; DERWENT; IBM_TDB	
19	0	(ivr and server and instant and messag\$5).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/10 14:32
20	0	(ivr and server and ((instant with messag\$5) or im)).ab. and @ad<20000706	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/10 14:33
21	1	(ivr and ((instant with messag\$5) or im)).ab. and @ad<20000706	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/10 14:44
26	1	"20020006803" and ((stor\$5 or sav\$5) with messag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/10 14:49
47	69	(messag\$5 same ((differ\$5 or compati\$6 or several or diver\$5 or multipl\$5) with protocol) same (mobile or cell\$5 or cellular or phon\$5)) and @ad<20000706 and (455/466.ccls. or 455/412.ccls. or 455/414.ccls. or 709/220.ccls. or 709/227.ccls. or 709/230.ccls. or 709/231.ccls. or 709/232.ccls. or 709/238.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:22
	7	l '	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:22
49	4	((telephone or cellular or (cellphone) or (cell adj phone)) same server same session same (instant with messag\$4) same (user or client)) and (455/466.ccls. or 455/412.ccls. or 455/414.ccls. or 709/220.ccls. or 709/227.ccls. or 709/230.ccls. or 709/231.ccls. or 709/232.ccls. or 709/238.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:23
50	9	((thin adj client) or (cellular or cellphone or (cell adj phone))) and server and ((instant\$6 near2 messag\$4) or IM) and (maintain\$5 with (session or communication)) and @ad<20000706 and (455/466.ccls. or 455/412.ccls. or 455/414.ccls. or 709/220.ccls. or 709/227.ccls. or 709/230.ccls. or 709/231.ccls. or 709/232.ccls. or 709/238.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/10 15:23

51 59	<pre>(cellular or cellphone or cell-phone or (cell adj phone)) and server and ((client or user) same session) and ((user or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/10 15:23
	client) same protocol) and (455/466.ccls. or 455/412.ccls. or 455/414.ccls. or 709/220.ccls. or 709/231.ccls. or 709/232.ccls. or 709/232.ccls. or 709/238.ccls.)	IBM_TDB	
- 0	((thin adj client) same server same session same (instant with messag\$4) same (user or client))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/10 12:59
- 52	<pre>((telephone or cellular or (cellphone) or (cell adj phone)) same server same session same (instant with messag\$4) same (user or client))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/10 15:22
- 3	((telephone or cellular or (cellphone) or (cell adj phone)) same server same session same (instant with messag\$4) same (user or client)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/03 12:43
- 2	((telephone or cellular or (cellphone) or (cell adj phone)) and server and session and (instant with messag\$4) and (user or client)).clm. and @ad<20000706	USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/03 12:45
0	((telephone or cellular or (cellphone) or (cell adj phone)) and server and session and (instant with messag\$4) and (user or client)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/03 12:45
1	((telephone or cellular or (cellphone) or (cell adj phone) or mobile) and server and session and (instant with messag\$4) and (user or client)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/03 12:47
0	((telephone or cellular or (cellphone) or (cell adj phone) or mobile) and (session with (maintain\$5 or keep\$5) with session) and (instant with messag\$4) and (user or client)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/03 13:14
- 1	((telephone or cellular or (cellphone) or (cell adj phone) or mobile) and (session with (maintain\$5 or keep\$5) with session) and (instant with messag\$4) and (user or client)).clm. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/03 12:47
0	((telephone or cellular or (cellphone) or (cell adj phone) or mobile) same (session with (maintain\$5 or keep\$5) with session) same (instant with messag\$4) same (user or client)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/03 13:13
2	((telephone or cellular or (cellphone) or (cell adj phone) or mobile) and (session with (maintain\$5 or keep\$5) with session) and (messag\$4) and (user or client)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/03 13:15
2	((telephone or cellular or (cellphone) or (cell adj phone) or mobile or wireless) and (session with (maintain\$5 or keep\$5) with session) and (messag\$4) and (user or client)).ab. and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/09/03 13:16
- 6	((telephone or cellular or (cellphone) or (cell adj phone)) same server same (instant with messag\$4) same (user or client)) and ((keep\$5 or maintain\$5) with (session or communication)) and @ad<20000706	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/03 14:03

					_
Or user or device or mobile) same sension DENWENT; sension O (instant same messag\$5 same ((redirect\$5 or redirect\$5 or ingrat\$5) with (client or user or device or mobile) same ((redirect\$5 or redirect\$5 or ingrat\$5) USPAT; U	_	0	(instant same messag\$5 same ((redirect\$5	USPAT;	
				i '	14:27
Session 0 (instant same messag\$5 same ((redirect\$5 or re-direct\$5 or migrat\$\$) with (client or user or device or mobile) same Session and (ead<20000706 (((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) ((instant with messag\$5) or IM) same ((mistant ad) messag\$4) or IM) same (mistant ad) messag\$4) or IM) same (mistant ad) messag\$4) or IM) same (mistant ad)			or user or device or mobile)) same		
0 (instant same messag\$5 same ((redirect\$5) or redirect\$5 or migrat\$5) with (client or user or device or mobile)) same (simplif) or cas97 or efficient\$7) same session) and @ad<20000706 ((instant with messag\$5) or IM) same ((redirect\$5 or redirect\$5 or migrat\$5) with (client or user or device or mobile)) same (simplif) or eas\$7 or efficient\$7) same session) and ((instant with messag\$5) or IM) same ((instant with messag\$6) or IM) same ((instant with messag\$6) or IM) same ((instant ad) messag\$4) or IM) same ((insta				1	
					2004/00/02
or user or device or mobile) same (simpl*7 or eas\$?) or efficien\$70 same session) and @ad<20000706 ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) with (client or user or device or mobile)) same (simpl*7 or eas\$7 or efficien\$7) same session) and @ad<20000706 ((redirect\$5 or re-direct\$5 or migrat\$5) or moby \$5 or transfer\$5 or forward\$4) with (client or user or device or mobile)) same (simpl*7 or eas\$7 or efficien\$7) same session) and @ad<20000706 (((instant with messag\$5) or IM) same ((instant with messag\$5) or IM) same (simpl*7 or eas\$7 or efficien\$7) same session) and @ad<20000706 (((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or imigrat\$5) or mov\$5 or transfer\$5 or forward\$4) with (client or user or device or mobile)) same (simpl*7 or eas\$7 or efficien\$7) same session) and @ad<20000706 (((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or mov\$5 or transfer\$5 or forward\$4) with (client or user or device or mobile)) same session) and @ad<20000706 (((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) with (session or communication)) and @ad<20000706 (client same ((instant ad) messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or setablish\$5 or persist\$5) with (session or communication) and @ad<20000706 (IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or setablish\$5 or persist\$5) with (session or communication) and @ad<20000706 and (protocol same (user or client)) communication)) and @ad<20000706 and (protocol same (user or client)) communication)) and @ad<20000706 and (protocol same (user or client)) communication)) and @ad<20000706 and (protocol same (instant ad) messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (user or client)) and (soc or communication)) and @ad<20000706 and (protocol same (user or client)) and (soc or communication) and @ad<20000706 and (protocol same (user or client)) and (soc o	-	"			1
(simpla or cas or efficient) same session) and gad<2000076 (((instant with messags) to redirects or migrats) with (client or user or device or mobile) same (simpla or eas or or efficient) same (simpla or eas or device) same ((instant with messags) or IM) same (simpla or eas or device) or mobile) same (simpla or eas or efficient) same (simpla or eas					14:27
Session and @ad<20000706 ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) US-PGPUB; 14:29 14:					
Content with messags) or IM) same ((redirects) or re-directs) or migrats) VEPAT; VERNOW,					
(redirect\$5 or re-direct\$5 or migrat\$5) with (client or user or device or mobile) same (simplay or eas37 or efficien\$7) same ((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5 or mov\$5 or transfcr\$5 or forward\$4) with (client or user or device or mobile) same (simplay or eas37 or efficien\$7) same (simplay or eas37 or efficien\$7) same ((instant with messag\$5) or IM) same ((redirect\$5 or redirect\$5 or migrat\$5 or mov\$5 or transfcr\$5 or forward\$4) with (client or user or device or mobile) same ((instant with messag\$5) or IM) same ((redirect\$5 or redirect\$5 or migrat\$5 or mov\$5 or transfcr\$5 or forward\$4) with (client or user or device or mobile) same ((instant with messag\$5) or IM) same ((instant with messag\$6) or IM) same ((instant adj messag\$4) or IM) same ((instant adj messag\$5) same ((instant adj messag\$5) sor migrat\$5 or mograt\$5 or mog	_	1 0			2004/09/03
## with (client or user or device or mobile) same (simplat) or east? or efficiens?) same session) and (ead<20000706 (((idinstant with messag\$5) or IM) same ((redirect\$5) or redirect\$5 or migrat\$5 or mov\$5 or transfer\$5 or forward\$4) with (client or user or device or mobile)) same (ssimplat) or east? or efficiens?) same session) and (ead<20000706 (((idinstant with messag\$5) or IM) same ((redirect\$5) or redirect\$5 or migrat\$5 or mov\$5 or transfer\$5 or forward\$4) with (client or user or device or mobile)) same (ssimplat) or east? or efficiens?) same session) and (ead<20000706 (((idinstant with messag\$5) or IM) same ((redirect\$5) or redirect\$5 or migrat\$5 or mov\$5 or transfer\$5 or forward\$4) with (client or user or device or mobile)) same session) and (ead<20000706 ((idinstant with messag\$5) or IM) same ((instant adj messag\$4) or IM) same ((instant adj messag\$5) or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) and (ead<20000706 and (protocol same ((ifferent or separate or incompatible)) ((idifferent adj procotol) and (instant adj messag\$5) or ingrat\$5 or moy\$5 with (user or client)) and (instant adj messag\$5) or in (instant adj messag\$5) or rerout\$5 or migrat\$5 or moy\$5 with (user or client)) and (instant adj messag\$5) or rerout\$5 or migrat\$5 or moy\$5 with (user or client)) and (instant adj messag\$5) or revout\$5 or redirect\$5 or reforect\$5					
### ### ##############################					
efficien\$7] same session) and Rad<20000706					
(((instant with messag55) or IM) same ((redirect55 or reingrat55) or mov35 or transfer55 or forward54) with (client or user or device or mobile) same (simpl%7 or eas37 or efficien37) same (simpl%7 or eas37 or efficien37) same (((instant with messag55) or IM) same (((redirect55 or re-outset) or migrat55) or mov35 or transfer55 or forward54) with (client or user or device or mobile) same (simpl%7 or eas37 or efficien37) same (instant with messag5) or IM) same ((redirect55 or re-outset55 or forward54) with (client or user or device or mobile) same session) and @ad<20000706 client same ((instant adj messag4) or IM) same ((maintain35 or keep35 or re-establish35 or establish35 or end (instant adj messag4) or IM) same ((mov34 or re-direct55 or migrat55) with (session or communication) same ((mintain35 or keep35 or re-establish35 or establish35 or end (protocol same (user or client)) same ((maintain35 or keep35 or re-establish35 or establish35 or end (protocol same (user or client)) same (maintain35 or keep35 or re-establish35 or establish35 or end (protocol same (user or client)) same (maintain35 or keep35 or re-establish35 or establish35 or end (protocol same (user or client)) same (maintain36 or keep35) with (session or communication) same (maintain36 or keep35) with (session or communication) same (maintain36 or keep35) with (session or communication) same (same same or client) same (same same or client) same same same or client) same (same same or client) same or same same same same same same same same				IBM TDB	
((redirects% or re-directs% or migrats% or mow\$5 or transfers% or forward\$4) with (client or user or device or mobile) Same session) and @ad<20000706 ((instant with messag\$5) or IM) same (ingdirects% or re-directs% or migrats% or mow\$5 or transfers% or migrats% or mow\$6 or transfers% or migrats%			@ad<20000706	_	
or mov35 or transfer\$5 or forward\$4) with (client or user or device or mobile) same (simpl&7 or eas\$7 or efficien\$77)	-	0	(((instant with messag\$5) or IM) same	USPAT;	2004/09/03
Calient or user or device or mobile) Same (simpl%) or case37 or efficien\$7) IBM_TDB Same session) and @ad<20000706 (((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5 or or most\$5 or transfer\$5 or forward\$4) with (client or user or device or mobile) Same (simpl%) or case37 or efficien\$7) Same (simpl%) or case37 or efficien\$7) Same (simpl%) or same session) and @ad<20000706 IBM_TDB USPAT; USPAGUA; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAGUA; US				US-PGPUB;	14:29
same (simpl%7 or eas\$7 or efficient\$7) same session) and @ad<20007076 (((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) or mov\$5 or transfer\$5 or forward\$4) with (client or user or device or mobile)) same (simpl%7 or eas\$7 or efficient\$7) same session) and @ad<20000706 ((redirect\$5 or re-direct\$5 or migrat\$5) or mov\$5 or transfer\$5 or forward\$4) with (client or user or device or mobile)) same session) and @ad<20000706 ((redirect\$5 or re-direct\$5 or migrat\$5) or mov\$5 or transfer\$5 or forward\$4) with (client or user or device or mobile)) same session) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same (maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication) with (user or client))) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((mov\$4 or re-direct\$5 or migrat\$5) with (session or communication) with (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) same (same (instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication))) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same (maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication))) and @ad<20000706 (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or recounts\$5 or migrat\$5 or for redirect\$5 or redirect\$5 or renut\$5 or migrat\$5 or redirect\$5 or redirect\$5 or renut\$5 or migrat\$5 or or redirect\$5 or renut\$5				EPO; JPO;	
Same session and @ad<20000706				DERWENT;	
Communication Communicatio				IBM_TDB	
((redirect§\$ or re-direct§\$ or migrat§\$ or mov§\$ or transfer§\$ or forward\$4) with bego JPO; (client or user or device or mobile)) same (simpl8*) or eas§? or efficien§?) same (simpl8*) or eas§? or efficien§?) same (simpl8*) or eas§? or efficien§?) same session) and @ad<20000706					0004/00/55
or mov\$5 or transfer\$5 or forward\$4) with (client or user or device or mobile) same (simpl% or eas\$7 or efficien\$7) same session) and @ad<20000706 11 (((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) or forward\$4) with (client or user or device or mobile)) same session) and @ad<20000706 - 9 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or communication)) and @ad<20000706 - 0 (client same ((instant adj messag\$4) or IM) same ((mov\$4 or re-direct\$5 or usercet\$5 or migrat\$5) with (session or communication) with (user or client)) and @ad<20000706 - 9 (client same ((instant adj messag\$4) or IM) same ((mov\$4 or re-direct\$5 or usercet\$5 or re-establish\$5 or establish\$5 or establish	-	0			1
Cclient or user or device or mobile) Same (simpl87 or eas\$7 or efficien\$7) Same session) and @ad<20000706 (((instant with messag\$5) or IM) same ((redirect\$5 or redirect\$5 or migrat\$5 or moy\$5 or transfer\$5 or forward\$4) with (client or user or device or mobile) Same session) and @ad<20000706 Cclient same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or communication)) and @ad<20000706 Cclient same ((instant adj messag\$4) or IM) same ((mov\$4 or re-direct\$5 or migrat\$5) with (session or communication) same ((maintain\$5 or keep\$5 or re-establish\$5 or setablish\$5 or setablish\$5 or persist\$5) with (session or communication) Oclient same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or setablish\$5 or persist\$5) with (session or communication) Oclient same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or setablish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) occuminication) ond @ad<20000706 and (protocol same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) ond @ad<20000706 and (protocol same ((instant adj messag\$4) or IM) same (maintain\$6 or keep\$5 or re-orout\$5 or migrat\$5 or mov\$5) with (session or communication) ond @ad<20000706 and (protocol same (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or r					14:30
Same (simplay or easy or efficiens or same session) and @ad<20000706					
same session) and @ad<20000706 (((instant with messag\$5) or IM) same ((redirect\$5 or re-direct\$5 or migrat\$5) or mov\$5 or transfer\$5 or forward\$4) with (client or user or device or mobile) same session) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or setablish\$5 or persist\$5) with (session or communication)) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or migrat\$5) with (session or communication) with (user or client))) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or setablish\$5 or persist\$5) with (session or communication)) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or setablish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or setablish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (user or client)) (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (user or client)) and (instant adj messag\$5) with (session or communication)) and @ad<20000706 (different adj procotol) and (instant adj messag\$5) with (session or communication) and @ad<20000706 (different adj procotol) and (instant adj messag\$5) with (session or communication) and @ad<20000706 (different adj procotol) and (instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or redirect\$5 or redirect\$5 or rerout\$5 or migrat\$5 or redirect\$5 or rerout\$5 or migrat\$5 or redirect\$5 or rerout\$5 or with (session or redirect\$5 or rerout\$5 or with (session or redirect\$5 or resout\$5 or with (session or				,	
-				I DM_IDB	
((redirect\$5 or re-direct\$5 or migrat\$5 or mov35 or transfer\$5 or forward\$4) with (client or user or device or mobile)) same session) and Gad<20000706 (client same ((finstant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or or migrat\$5) with (session or communication))) and Gad<20000706 (client same ((instant adj messag\$4) or IM) same ((mov\$4 or re-direct\$5 or migrat\$5) with (session or communication) with (user or client))) and Gad<20000706 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication) with (user or client)) and Gad<20000706 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or communication))) and Gad<20000706 and (protocol same (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) and Gad<20000706 and (protocol same (different or separate or incompatible)) (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (session or communication)) and Gad<20000706 (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5	_	11		IISDAT.	2004/09/03
or mov\$5 or transfer\$5 or forward\$4) with (client or user or device or mobile) same session) and @ad<20000706 9 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5) or re-establish\$5 or establish\$5 or governing the same ((instant adj messag\$4) or IM) same ((mointain\$5) or different adj messag\$4) or IM) same ((mointain\$5) or definition) with (user or client)) and @ad<20000706 9 (client same ((instant adj messag\$4) or IM) same ((mointain\$5) or keep\$5 or re-establish\$5 or establish\$5 or governing the same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or governing the same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or governing the same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or governing the same ((instant adj messag\$4) or IM) same ((maintain\$4 or keep\$5) with (session or communication)) and @ad<20000706 and (protocol same (different or separate or incompatible)) 1				i i	
(client or user or device or mobile) same session) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or persist\$5) with (session or communication)) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((mov\$4 or re-direct\$5 or migrat\$5) with (session or communication) with (user or client))) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or setablish\$5 or persist\$5) with (session or communication) persist\$5) with (session or communication) persist\$5) with (session or communication) persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$4) or re-establish\$5 or setablish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (different or separate or incompatible)) (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or persist\$5) with (session or communication) and @ad<20000706 (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or persist\$5) with (session or communication) and @ad<20000706 (different adj procotol) and (instant adj messag\$5) or im and ((maintain\$4 or keep\$5) with (session or communication) and @ad<20000706 (different adj procotol) and ((instant adj messag\$5) or im and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or red				l '	
same session) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication))) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((mox\$4 or re-direct\$5 or migrat\$5) with (session or communication) with (user or client))) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or some (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or some (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or some (user or client)) (client same ((instant adj messag\$4) or IM) same ((instant adj messag\$4) or IM) same ((instant adj messag\$4) or IM) same ((instant adj messag\$5) or re-establish\$5 or some (user or client)) (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (user or client)) and (instant adj messag\$5) with (session or communication)) and @ad<20000706 and (protocol same (different or separate or incompatible)) (different adj procotol) and (instant adj messag\$5) with (session or communication)) and @ad<20000706 and (instant adj messag\$5) with (session or communication)) and @ad<20000706 be IBM_TDB (different adj procotol) and (instant adj messag\$5) with (session or communication) and @ad<20000706 (different adj procotol) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5					
IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or ocmmunication))) and @ad<20000706 O (client same ((instant adj messag\$4) or IM) same ((mov\$4 or re-direct\$5 or migrat\$5) with (session or communication) with (user or client))) and @ad<20000706 O (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (user or client)) O (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (user or client)) O (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication))) and @ad<20000706 and (protocol same (different or separate or incompatible)) O (different adj procotol) and (instant adj messag\$5) with (session or redirect\$5				ł	
re-establish\$5 or establish\$5 or persist\$5) with (session or communication))) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((mov\$4 or re-direct\$5 or migrat\$5) with (session or communication) with (user or client))) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or persist\$5) with (session or communication) persist\$5) with (session or communication) persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or persist\$5) with (session or communication))) and @ad<20000706 and (protocol same (different or separate or incompatible)) (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or redire	_	9	(client same ((instant adj messag\$4) or	USPAT;	
persist\$5) with (session or communication)) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((mov\$4 or re-direct\$5 or migrat\$5) with (session or communication) with (user or client)) and @ad<20000706 - 9 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-e-establish\$5 or establish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-e-establish\$5 or establish\$5 or persist\$5) with (session or communication))) and @ad<20000706 and (protocol same (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-e-establish\$5 or establish\$5 or persist\$5) with (session or communication))) and @ad<20000706 and (protocol same (different or separate or incompatible)) - 0 (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or migrat\$5			<pre>IM) same ((maintain\$5 or keep\$5 or</pre>	US-PGPUB;	15:09
communication)) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((mov\$4 or re-direct\$5 or migrat\$5) with (session or communication) with (user or client)) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or establi			re-establish\$5 or establish\$5 or	EPO; JPO;	
Client same ((instant adj messag\$4) or IM) same ((mov\$4 or re-direct\$5 or migrat\$5) with (session or communication) with (user or client))) and @ad<20000706 EPO, JPO; DERWENT; IBM TDB USPĀT; US-PGPUB; IS:07 DERWENT; IBM TDB USPĀT; US-PGPUB; IBM TDB USPĀT; USPĀT USP					-
IM) same ((mov\$4 or re-direct\$5 or migrat\$5) with (session or communication) with (user or client)) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (user or client)) (client same ((instant adj messag\$4) or IM) same ((instant adj messag\$5) or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (different or separate or incompatible)) (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or					
migrat\$5) with (session or communication) with (user or client)) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (different or separate or incompatible)) (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (user or client)) and (maintain\$4 or keep\$5) with (session or communication)) and @ad<20000706 (different adj procotol) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or mov\$5) with (user or client)) and ((maintain\$4 or keep\$5) with (user or client)) and ((maintain\$4 or mov\$5) with (user or client)) and ((maintain\$4 or new persist\$5 or mov\$5) with (user or client)) and (mov\$5) with (user or client)) and (user or client)) a	_	0			
with (user or client))) and @ad<20000706 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication))) and @ad<20000706 and (protocol same (user or client)) (client same ((instant adj messag\$4) or IBM_TDB (protocol same (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication))) and @ad<20000706 and (protocol same (different or separate or incompatible)) (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (user or client)) and ((maintain\$4 or keep\$5) with (session or communication)) and @ad<20000706 (different adj procotol) and ((instant adj messag\$5) with (session or communication)) and @ad<20000706 (different adj procotol) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or					15:07
Colient same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication))) and @ad<20000706 and (protocol same (user or client))					
9 (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (user or client)) 1			with (user or client))) and @ad<20000706		
IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or establish\$5 or persist\$5) with (session or communication))) and @ad<20000706 and (protocol same (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or persist\$5) with (session or communication))) and @ad<20000706 and (protocol same (different or separate or incompatible)) 0 (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (session or keep\$5) with (session or communication)) and @ad<20000706 0 (different adj procotol) and ((instant adj messag\$5) with (session or communication)) and @ad<20000706 0 (different adj procotol) and ((instant adj messag\$5) or IM) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or redirect\$5 or migrat\$5 or mov\$5) with (user or client)) and (maintain\$4 or keep\$5) with (session or libm TDB		0	(client same //instant add mossass4) as	****	2004/00/03
re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (different or separate or incompatible)) (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (session or keep\$5) with (session or communication)) and @ad<20000706 and (maintain\$4 or keep\$5) with (session or communication)) and @ad<20000706 0 (different adj procotol) and (instant adj messag\$5) or IM) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or redirect\$5 or redirect\$5 or redirect\$5 or migrat\$5 or mov\$5) with (session or communication)) and @ad<20000706 (different adj procotol) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or redirect\$5 or migrat\$5 or mov\$5) with (user or client)) and (maintain\$4 or keep\$5) with (session or libM_TDB	-			1	
persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (different or separate or incompatible)) (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (sesp\$5 or redirect\$5 or redirect\$5 or redirect\$5 or nedirect\$5 or nedire			re-establish\$5 or establish\$5 or		13.10
communication))) and @ad<20000706 and (protocol same (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (different or separate or incompatible)) (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (seep\$5) with (session or communication)) and @ad<20000706 (different adj procotol) and ((instant adj (user or client)) and ((maintain\$4 or keep\$5) with (session or communication)) adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5					
<pre>(protocol same (user or client)) (client same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or us-PGPUB; re-establish\$5 or establish\$5 or EPO; JPO; persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (different or separate or incompatible)) (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (session or communication)) and @ad<20000706 (different adj procotol) and ((instant keep\$5) with (session or communication)) and @ad<20000706 (different adj procotol) and ((instant adj userout)) and (maintain\$4 or perwent; keep\$5) with (session or communication)) and @ad<20000706 (different adj procotol) and ((instant adj userout)) and (maintain\$4 or perwent) adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or</pre>					
Colient same ((instant adj messag\$4) or IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (different or separate or incompatible)) O (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (user or client)) and ((maintain\$4 or keep\$5) with (session or communication)) and @ad<20000706 O (different adj procotol) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or redirect\$5 or redirect\$5 or redirect\$5 or migrat\$5 or mov\$5) with (user or client)) and (instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or redirect\$5 or redirect\$5 or migrat\$5 or migr					
IM) same ((maintain\$5 or keep\$5 or re-establish\$5 or establish\$5 or establish\$5 or DERWENT; persist\$5) with (session or communication)) and @ad<20000706 and (protocol same (different or separate or incompatible)) O (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (seep\$5) with (session or communication)) and @ad<20000706 O (different adj procotol) and ((instant adj messag\$5) or IM) and (instant adj messa	-	5		USPAT;	2004/09/03
re-establish\$5 or establish\$5 or persist\$5) with (session or communication))) and @ad<20000706 and (protocol same (different or separate or incompatible)) 0 (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (user or client)) and ((maintain\$4 or keep\$5) with (session or communication)) and @ad<20000706 0 (different adj procotol) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (user or client)) and ((maintain\$4 or keep\$5) with (session or DERWENT; EPO; JPO; DERWENT; USPAT; USPGPUB; DERWENT; IBM_TDB					
persist\$5) with (session or communication))) and @ad<20000706 and (protocol same (different or separate or incompatible)) (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (session or communication)) and @ad<20000706 (different adj procotol) and ((instant adj messag\$5) with (session or communication)) and @ad<20000706 (different adj procotol) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or redirect\$5 or migrat\$5 or migra				EPO; JPO;	
<pre>(protocol same (different or separate or incompatible)) (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (user or client)) and ((maintain\$4 or keep\$5) with (session or communication)) and @ad<20000706 0 (different adj procotol) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (user or client)) and ((maintain\$4 or keep\$5) with (session or IBM_TDB)</pre>				DERWENT;	
incompatible)) (different adj procotol) and (instant adj uspat; 2004/09/03 messag\$5) and ((re-direct\$5 or redirect\$5 us-pgpuB; or rerout\$5 or migrat\$5 or mov\$5) with (user or client)) and ((maintain\$4 or berwent; keep\$5) with (session or communication)) and (ad<20000706 (different adj procotol) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or redirect\$5 or rerout\$5 or migrat\$5 or migrat\$5 or mov\$5) with (user or client)) and (maintain\$4 or keep\$5) with (session or ibm_TDB)				IBM_TDB	
- 0 (different adj procotol) and (instant adj messag\$5) and ((re-direct\$5 or redirect\$5 us-pgpuB; or rerout\$5 or migrat\$5 or mov\$5) with (user or client)) and ((maintain\$4 or keep\$5) with (session or communication)) and @ad<20000706 - 0 (different adj procotol) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or redirect\$5 or migrat\$5 or migrat\$5 or mov\$5) with (user or client)) and (maintain\$4 or keep\$5) with (session or ibm TDB) - 0 (different adj procotol) with (user or client)) and (procotol) and (maintain\$4 or keep\$5) with (session or ibm TDB)					
messag\$5) and ((re-direct\$5 or redirect\$5 US-PGPUB; or rerout\$5 or migrat\$5 or mov\$5) with (user or client)) and ((maintain\$4 or keep\$5) with (session or communication)) and (ad<20000706 0 (different adj procotol) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or migrat\$5 or mov\$5) with (user or client)) and (maintain\$4 or keep\$5) with (session or IBM_TDB) 15:23 15:23 15:23 15:23 15:23 15:24 15:23 15:24 15:25 15:24 15:24 15:25 15:24 15:26 15:27 15:27 15:27 15:28		_	1		
or rerout\$5 or migrat\$5 or mov\$5) with (user or client)) and ((maintain\$4 or keep\$5) with (session or communication)) and @ad<20000706 0 (different adj procotol) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (user or client)) and (maintain\$4 or keep\$5) with (session or IBM_TDB	-	0	(different adj procotol) and (instant adj		
<pre>(user or client)) and ((maintain\$4 or keep\$5) with (session or communication)) and @ad<20000706 0 (different adj procotol) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or rerout\$5 or migrat\$5 or mov\$5) with (user or client)) and ((maintain\$4 or keep\$5) with (session or IBM_TDB</pre> DERWENT; 15:24 2004/09/03 15:24 2007/09/03 15:24 2008/09/03 15:24 2009/03 15:24 2009/03 15:24 2009/03			messag\$5) and ((re-direct\$5 or redirect\$5		15:23
keep\$5) with (session or communication)) and @ad<20000706 0 (different adj procotol) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or migrat\$5 or EPO; JPO; mov\$5) with (user or client)) and DERWENT; ((maintain\$4 or keep\$5) with (session or IBM_TDB)					
and @ad<20000706 different adj procotol) and ((instant uspat; 2004/09/03 adj messag\$5) or IM) and ((re-direct\$5 or us-pgpuB; redirect\$5 or rerout\$5 or migrat\$5 or EPO; JPO; mov\$5) with (user or client)) and DERWENT; ((maintain\$4 or keep\$5) with (session or IBM_TDB)					
O (different adj procotol) and ((instant adj messag\$5) or IM) and ((re-direct\$5 or US-PGPUB; redirect\$5 or rerout\$5 or migrat\$5 or EPO; JPO; mov\$5) with (user or client)) and DERWENT; ((maintain\$4 or keep\$5) with (session or IBM_TDB			and @ad<20000206	TRW_TDR	
adj messag\$5) or IM) and ((re-direct\$5 or US-PGPUB; redirect\$5 or rerout\$5 or migrat\$5 or EPO; JPO; mov\$5) with (user or client)) and DERWENT; ((maintain\$4 or keep\$5) with (session or IBM_TDB	_	_	(different adi processal) and //instant	IICDVA-	2004/09/03
redirect\$5 or rerout\$5 or migrat\$5 or EPO; JPO; mov\$5) with (user or client)) and DERWENT; ((maintain\$4 or keep\$5) with (session or IBM_TDB					
mov\$5) with (user or client)) and DERWENT; ((maintain\$4 or keep\$5) with (session or IBM_TDB					10.21
((maintain\$4 or keep\$5) with (session or IBM_TDB					
			communication)) and @ad<20000706	<u>-</u>	

_	0	(different adj procotol) and ((instant	USPAT;	2004/09/03
		adj messag\$5) or IM) and ((re-direct\$5 or	US-PGPUB;	15:24
		redirect\$5 or rerout\$5 or re-rout\$4 or	EPO; JPO;	
		migrat\$5 or mov\$5) with (user or client))	DERWENT;	
		and ((maintain\$4 or keep\$5) with (session	IBM TDB	
		or communication)) and @ad<20000706	_	
_	0	(different adj procotol) and ((instant	USPAT;	2004/09/03
		adj messag\$5) or IM) and ((re-direct\$5 or	US-PGPUB;	15:18
		redirect\$5 or rerout\$5 or re-rout\$4 or	EPO; JPO;	13.10
		migrat\$5 or mov\$5) with (user or client	DERWENT;	
		or session)) and ((maintain\$4 or keep\$5)	IBM_TDB	
		with (session or communication)) and		
		@ad<20000706		
_	0	(different adj procotol) and ((instant	USPAT;	2004/09/03
		adj messag\$5) or IM) and ((re-direct\$5 or	US-PGPUB;	15:24
		redirect\$5 or rerout\$5 or re-rout\$4 or	EPO; JPO;	
		migrat\$5 or mov\$5) with (user or client	DERWENT;	
		or session)) and ((maintain\$4 or keep\$5	IBM TDB	
		or persist\$4) with (session or	1511_155	
		communication)) and @ad<20000706		
			TTO DAM	2004/00/02
_	0	(different adj procotol) and ((instant	USPAT;	2004/09/03
		adj messag\$5) or IM) and ((server) with	US-PGPUB;	15:24
		(user or client or session)) and	EPO; JPO;	
		((maintain\$4 or keep\$5 or persist\$4) with	DERWENT;	
		(session or communication)) and	IBM_TDB	
		@ad<20000706	_	
-	0	(different adj procotol) and ((instant	USPAT;	2004/09/03
		adj messag\$5) or IM) and ((server) with	US-PGPUB;	15:23
		(user or client or session)) and	EPO; JPO;	
		((maintain\$4 or keep\$5 or persist\$4) with	DERWENT;	
		(session or communication or link)) and	IBM TDB	
		,	1011_100	•
		@ad<20000706	*****	0004/00/00
-	0	(different adj procotol) and ((instant	USPAT;	2004/09/03
		adj messag\$5) or IM) and ((user or client	US-PGPUB;	15:24
		or session)) and ((maintain\$4 or keep\$5	EPO; JPO;	
		or persist\$4) with (session or	DERWENT;	
		communication or link)) and @ad<20000706	IBM TDB	
-	0	(different with procotol) and (instant	USPAT;	2004/09/03
		adj messag\$5) and ((re-direct\$5 or	US-PGPUB;	15:23
		redirect\$5 or rerout\$5 or migrat\$5 or	EPO; JPO;	
		mov\$5) with (user or client)) and	DERWENT;	
		((maintain\$4 or keep\$5) with (session or	IBM TDB	
		communication)) and @ad<20000706	1 1011-100	
1_	o		HEDAT.	2004/00/03
1 -	"	(different with procotol) and ((instant	USPAT;	2004/09/03
		adj messag\$5) or IM) and ((re-direct\$5 or	US-PGPUB;	15:24
		redirect\$5 or rerout\$5 or migrat\$5 or	EPO; JPO;	
		mov\$5) with (user or client)) and	DERWENT;	
		((maintain\$4 or keep\$5) with (session or	IBM_TDB	
		communication)) and @ad<20000706		
-	0	, , , , , , , , , , , , , , , , , ,	USPAT;	2004/09/03
		adj messag\$5) or IM) and ((re-direct\$5 or	US-PGPUB;	15:24
		redirect\$5 or rerout\$5 or re-rout\$4 or	EPO; JPO;	
		migrat\$5 or mov\$5) with (user or client))	DERWENT;	
		and ((maintain\$4 or keep\$5) with (session	IBM TDB	
	1	or communication)) and @ad<20000706		
_	0	(different with procotol) and ((instant	USPAT;	2004/09/03
			US-PGPUB;	15:24
		adj messag\$5) or IM) and ((re-direct\$5 or redirect\$5 or rerout\$5 or re-rout\$4 or		13.24
			EPO; JPO;]
		migrat\$5 or mov\$5) with (user or client	DERWENT;	
		or session)) and ((maintain\$4 or keep\$5	IBM_TDB	
		or persist\$4) with (session or		
		communication)) and @ad<20000706		
-	0	(different with procotol) and ((instant	USPAT;	2004/09/03
	1	adj messag\$5) or IM) and ((server) with	US-PGPUB;	15:24
		(user or client or session)) and	EPO; JPO;	
	-	((maintain\$4 or keep\$5 or persist\$4) with	DERWENT;	
		(session or communication)) and	IBM TDB	
		@ad<20000706		
L				1

		(1) 65		
-	0	(different with procotol) and ((instant	USPAT;	2004/09/03
		adj messag\$5) or IM) and ((user or client or session)) and ((maintain\$4 or keep\$5	US-PGPUB;	15:24
		or persist\$4) with (session or	EPO; JPO;	
		communication or link)) and @ad<20000706	DERWENT; IBM TDB	
-	o	((different or various) with procotol)	USPAT;	2004/09/03
		and ((instant adj messag\$5) or IM) and	US-PGPUB;	15:25
		((user or client or session)) and	EPO; JPO;	
		((maintain\$4 or keep\$5 or persist\$4) with	DERWENT;	
		(session or communication or link)) and	IBM_TDB	
	_	@ad<20000706	_	
_	0	((different or various or several) with	USPAT;	2004/09/03
		procotol) and ((instant adj messag\$5) or	US-PGPUB;	15:25
		<pre>IM) and ((user or client or session)) and ((maintain\$4 or keep\$5 or persist\$4) with</pre>	EPO; JPO;	
		(session or communication or link)) and	DERWENT; IBM TDB	
		@ad<20000706	1511_155	
_	520	((instant near2 message) or im) and	USPAT;	2004/09/10
		(cellular or cellphone or cell-phone or	US-PGPUB;	15:22
		(cell adj phone)) and server and ((client	EPO; JPO;	
		or user) same session) and ((user or	DERWENT;	
		client) same protocol)	IBM_TDB	
_	75	((instant near2 message) or im) and	USPAT;	2004/09/03
		(cellular or cellphone or cell-phone or	US-PGPUB;	15:27
		(cell adj phone)) and server and ((client or user) same session) and ((user or	EPO; JPO; DERWENT;	
		client) same protocol) and @ad<20000706	IBM TDB	
_	46	((instant near2 message) or im) and	USPAT;	2004/09/03
		(cellular or cellphone or cell-phone or	US-PGPUB;	15:28
		(cell adj phone)) and server and ((client	EPO; JPO;	
		or user) same session) and ((user or	DERWENT;	
	1	client) same protocol same (different or	IBM_TDB	
		several or incompatible or diverse)) and		
_	0	@ad<20000706 ((instant near2 message) or im) and	IISDAT.	2004/09/03
		(cellular or cellphone or cell-phone or	USPAT; US-PGPUB;	15:29
		(cell adj phone)) and server and ((client	EPO; JPO;	10.23
		or user) same session) and ((user or	DERWENT;	
		client) same protocol same (different or	IBM_TDB	
		several or incompatible or diverse)) and		
		@ad<20000706 and (open with session)		0004400400
-	39	((instant near2 message) or im) and	USPAT;	2004/09/03
		(cellular or cellphone or cell-phone or (cell adj phone)) and server and ((client	US-PGPUB;	15:29
		or user) same session) and ((user or	EPO; JPO; DERWENT;	
		client) same protocol same (different or	IBM TDB	
		several or incompatible or diverse)) and		
		<pre>@ad<20000706 and ((open\$3 or establish\$4)</pre>		
		with session)		
-	39	((instant near2 message) or im) and	USPAT;	2004/09/03
		(cellular or cellphone or cell-phone or	US-PGPUB;	15:39
		(cell adj phone)) and server and ((client	EPO; JPO;	
		or user) same session) and ((user or client) same protocol same (different or	DERWENT; IBM TDB	
		several or incompatible or diverse)) and	TDH_IDD	
		@ad<20000706 and ((open\$3 or establish\$4)		
		with session) and @ad<20000706	•	
-	104	((thin adj client) or (cellular or	USPAT;	2004/09/10
		cellphone or (cell adj phone))) and	US-PGPUB;	15:22
		server and ((instant\$6 near2 messag\$4) or	EPO; JPO;	
		IM) and (maintain\$5 with (session or	DERWENT;	
_	54	communication)) and @ad<20000706	IBM_TDB	2004/00/03
-	34	((thin adj client) or (cellular or cellphone or (cell adj phone))) and	USPAT; US-PGPUB;	2004/09/03 15:43
		server and ((instant\$6 near2 messag\$4) or	EPO; JPO;	10.10
		IM) and (maintain\$5 with (session or	DERWENT;	
		communication)) and @ad<20000706 and	IBM TDB	
		((open\$4 or establish\$4) with session)		
	•			L

_	1	((thin adj client) or (cellular or	USPAT;	2004/09/03
		cellphone or (cell adj phone))) and	US-PGPUB;	15:48
		server and ((instant\$6 near2 messag\$4) or	EPO; JPO;	
		IM) and (maintain\$5 with (session or	DERWENT;	
		communication)) and @ad<20000706 and	IBM TDB	
		((open\$4 or establish\$4) with session)	_	
		and (user with different with protocol)		
-	5	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	USPAT;	2004/09/08
		messag\$5) same user).ab. and @ad<20000706	US-PGPUB;	12:04
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1	(client same server same (instant adj	USPAT;	2004/09/08
		messag\$5) same user).ab. and @ad<20000706	US-PGPUB;	12:04
		and (phone or cellphone or (cellular adj	EPO; JPO;	
		phone))	DERWENT;	
			IBM_TDB	
-	2	(client same server same (instant adj	USPAT;	2004/09/08
		messag\$5) same user).ab. and @ad<20000706	US-PGPUB;	12:06
		and (phone or cellphone or (cellular adj	EPO; JPO;	
		phone) or mobile)	DERWENT;	
			IBM_TDB	